

Tabla de referencias dimensión "A"

Figura	"A"	Peso	
		Lbs.	Kg.
SC 663	7 5/16" (185.7)	186	(84.2)
SC 664	8 1/16" (204.8)	191	(86.5)
SC 665	9 1/16" (230.2)	198	(89.7)
SC 666	10 1/16" (255.6)	205	(92.9)
SC 667	10 5/16" (277.8)	211	(95.5)
SC 668	11 11/16" (296.8)	216	(97.8)

Tabla de referencias dimensión "B"

Diámetro de tubo	Espesor de aislamiento													
	0" (0.0)		1" (25.4)		1 1/2" (38.1)		2" (50.8)		2 1/2" (63.5)		3" (76.2)		4" (101.6)	
1/2" (15)	2 11/16" (68.3)	-	-	-	-	-	-	-	-	-	-	-	-	-
3/4" (20)	2 13/16" (71.4)	3 7/8" (98.4)	4 1/2" (114.3)	4 7/8" (123.8)	-	-	-	-	-	-	-	-	-	-
1" (25)	2 15/16" (74.6)	4 3/16" (106.4)	4 5/8" (117.5)	5 1/16" (128.6)	-	-	-	-	-	-	-	-	-	-
1 1/4" (32)	3 1/8" (79.4)	4 3/16" (106.4)	4 5/8" (117.5)	5 1/8" (130.2)	-	-	-	-	-	-	-	-	-	-
1 1/2" (40)	3 1/4" (82.5)	4 7/16" (112.7)	4 7/8" (123.8)	5 1/4" (133.3)	5 3/4" (146.0)	-	-	-	-	-	-	-	-	-
2" (50)	3 9/16" (90.5)	4 5/8" (117.5)	5 3/16" (131.8)	5 1/2" (139.7)	6 1/16" (154.0)	-	-	-	-	-	-	-	-	-
2 1/2" (65)	3 3/4" (95.2)	4 7/8" (123.8)	5 1/4" (133.3)	6" (152.4)	6 3/8" (161.9)	-	-	-	-	-	-	-	-	-
3" (80)	4 1/8" (104.8)	5 1/8" (130.2)	5 9/16" (141.3)	6 1/16" (154.0)	6 7/16" (163.5)	6 15/16" (176.2)	-	-	-	-	-	-	-	-
3 1/2" (90)	4 1/4" (107.9)	5 1/4" (133.3)	5 13/16" (147.6)	6 1/4" (158.7)	6 11/16" (169.9)	7 1/16" (179.4)	-	-	-	-	-	-	-	-
4" (100)	4 9/16" (115.9)	5 1/2" (139.7)	6 1/16" (154.0)	6 7/16" (163.5)	7" (177.8)	7 3/8" (187.3)	7 7/8" (200.0)	8 15/16" (227.0)	-	-	-	-	-	-
5" (125)	5 1/16" (128.6)	6 1/16" (154.0)	6 7/16" (163.5)	7" (177.8)	7 3/8" (187.3)	7 15/16" (201.6)	8 5/16" (211.1)	9 9/16" (242.9)	-	-	-	-	-	-
6" (150)	5 7/16" (138.1)	6 7/16" (163.5)	6 15/16" (176.2)	7 3/8" (187.3)	7 15/16" (201.6)	9" (228.6)	-	-	-	-	-	-	-	-
8" (200)	6 3/8" (161.9)	7 7/16" (188.9)	7 15/16" (201.6)	8 3/8" (212.7)	9" (228.6)	-	-	-	-	-	-	-	-	-
10" (250)	7 5/16" (185.7)	8 3/16" (208.0)	-	-	-	-	-	-	-	-	-	-	-	-
12" (300)	8 1/4" (209.5)	-	-	-	-	-	-	-	-	-	-	-	-	-

